

VALUE ASSIGNMENT FOR BIO-RAD						
MASTER LOT 7461(1-3)			Exp:2024/09/30			
AccuBind® ELISA	74611		74612		74613	
	Mean	Range	Mean	Range	Mean	Range
<b>Lyphocheck Tumor Markers</b>						
Ferritin in ng/ml	48.16	32.27-64.06	298.93	200.28-397.58	>700	
CEA in ng/ml	2.68	1.80-3.57	23.51	15.75-31.27	85.11	57.02-113.20
AFP in ng/ml	8.37	5.61-11.13	91.58	61.36-121.80	257.04	172.22-341.86
PSA in ng/ml	0.56	0.37-0.74	6.36	3.71-9.02	33.91	22.72-45.10
fPSA in ng/ml	<0.3		2.71	1.82-3.60	>10	
CA-125 in U/ml	18.94	11.57-26.30	59.87	40.12-79.63	212.14	142.13-282.14
CA-19-9 in U/ml	13.87	9.29-18.44	24.29	16.27-32.31	80.14	53.69-106.58
CEA Next Generation in ng/ml	<5		24.95	16.72-33.18	77.9	52.19-103.61
PRL in ng/ml	16.18	10.84-21.52	50.23	33.65-66.80	>100	
HCG in mIU/ml	5.24	3.51-6.97	68.74	46.05-91.42	>200	
TG in ng/ml	4.72	3.16-6.27	26.08	17.47-34.68	78.73	52.75-104.71
CA 15-3 in U/ml	35.22	23.59-46.84	79.42	53.21-105.63	163.46	109.52-217.40
HCG-XR in mIU/ml	4.78	3.20-6.35	63.82	42.76-84.88	304.96	204.32-405.60
Calcitonin pg/ml	10.61	6.14-15.08	91.28	61.16-121.41	376.49	252.25-500.73
Aldosterone pg/ml	140.71	94.27-187.14	363.03	243.23-482.83	903.97	605.66-1202.28

DOCUMENT HISTORY			
PREPARED BY: <u>MSW</u>	DEPT: QC	VERIFIED BY: <u>AShatola</u>	DEPT: QA
APPROVED BY: <u>Fred Lopez</u>	DEPT: Administration	EFFECTIVE DATE: 2021-10-19	
REVISION: 0		DCO: N/A	