

VALUE ASSIGNMENT FOR BIO-RAD						
MASTER LOT 7462(1-3)			Exp:2025/05/31			
AccuBind® ELISA	74621		74622		74623	
	Mean	Range	Mean	Range	Mean	Range
Lyphocheck Tumor Markers						
Ferritin in ng/ml	54.17	36.30-72.05	309.74	207.53-411.95	709.86	475.61->800
CEA in ng/ml	3.35	2.24-4.46	28.07	18.81-37.33	100.46	67.31-133.61
AFP in ng/ml	7.53	5.04-10.01	77.21	51.73-102.68	249.22	153.85-344.58
PSA in ng/ml	<0.5		10.02	6.71-13.32	42.62	28.56-56.68
fPSA in ng/ml	<0.3		5.38	3.60-7.16	>10	
CA-125 in U/ml	19.67	13.18-26.16	59.09	39.59-78.60	204.9	137.28-272.52
CA-19-9 in U/ml	20.45	13.70-27.20	41.41	27.74-55.07	102.86	68.91-136.80
CEA Next Generation in ng/ml	<5		24.91	16.69-33.13	80.87	54.18-107.55
PRL in ng/ml	12.96	8.68-17.24	43.44	29.11-57.78	>100	
PRL in ng/ml-HUMAN	12.53	8.39-16.66	40.71	27.27-54.14	>100	
HCG in mIU/ml	6.94	4.65-9.23	86.29	57.82-114.77	>200	
TG in ng/ml	5.91	3.96-7.86	32.4	21.71-43.09	79.25	53.10-105.40
CA 15-3 in U/ml	33.57	20.83-46.30	78.66	52.70-104.62	156.77	105.03-208.50
HCG-XR in mIU/ml	5.14	3.45-6.84	74.16	49.69-98.63	360.49	241.53-479.46
Calcitonin pg/ml	9.1	6.09-12.10	74.86	50.16-99.56	343.78	230.33-457.22
Aldosterone pg/ml	160.27	107.38-213.16	427.42	278.70-576.14	962.38	644.80-1279.97
ACTH pg/ml	55.56	37.23-73.90	248.07	166.21-329.94	554.02	371.19-736.85

DOCUMENT HISTORY			
PREPARED BY: <u>NSW</u>	DEPT: QC	VERIFIED BY: <u>AShatola</u>	DEPT: QA
APPROVED BY: <u>Fred Lopez</u>	DEPT: Administration	EFFECTIVE DATE: 2022-06-16	
REVISION: 0		DCO: N/A	