



VALUE ASSIGNMENT FOR BIO-RAD

MASTER LOT 6770(1-3)

Exp: 2026/02/28

| AccuBind® ELISA | 67701 | | 67702 | | 67703 | |
|---------------------------------------|-------|-------------|--------|--------------|--------|---------------|
| | Mean | Range | Mean | Range | Mean | Range |
| Liquicheck Cardiac Markers LT Plus | | | | | | |
| CKMB in ng/ml | 4.25 | 2.85-5.65 | 14.33 | 9.60-19.06 | 80.86 | 54.17-107.54 |
| hsCRP in µg/ml | 0.89 | 0.59-1.19 | 2.28 | 1.29-3.27 | 7.19 | 4.82-9.57 |
| Myoglobin in ng/ml | 71.7 | 48.04-95.35 | 146.45 | 98.12-194.78 | 345.99 | 231.81-460.16 |
| Troponin I in ng/ml | <0.5 | | 1.75 | 1.17-2.33 | 5.51 | 3.69-7.33 |

Note: Monobind evaluates levels 1, 2 and 3 in the Bio-Rad control.

It does not evaluate levels 1A, 1B and 1C due to minimal difference in value recognition.

DOCUMENT HISTORY

PREPARED BY: *MSW* DEPT: QC VERIFIED BY: *AShatola* DEPT: QA
 APPROVED BY: *Fred Lopez* DEPT: Administration EFFECTIVE DATE: 2023-01-21
 REVISION: 0 DCO: N/A

