

VALUE ASSIGNMENT FOR BIO-RAD						
MASTER LOT 7464(1-3)			Exp:2026/08/31			
AccuBind® ELISA	74641		74642		74643	
	Mean	Range	Mean	Range	Mean	Range
Lyphocheck Tumor Markers						
Ferritin in ng/ml	47.81	32.04-63.59	249.64	167.26-332.02	518.06	347.10->800
CEA in ng/ml	2.58	1.73- 3.43	23.17	15.52- 30.81	74.22	49.73- 98.71
AFP in ng/ml	6.39	4.28-8.50	69.57	46.61- 92.53	212.24	142.20- 282.27
PSA in ng/ml	<0.5		7.38	4.94- 9.81	32.59	21.83- 43.34
fPSA in ng/ml	<0.3		2.69	1.80-3.58	>10	
CA-125 in U/ml	18.86	12.63-25.08	55.44	37.15-73.74	164.21	110.02-218.40
CA-19-9 in U/ml	14.1	9.45-18.76	34.71	23.26-46.16	88.95	59.60-118.31
CEA Next Generation in ng/ml	<5		25.69	17.21-34.17	77.51	51.93-103.09
PRL in ng/ml	11.34	7.60-15.09	39.9	26.73- 53.06	>100	
PRL in ng/ml-HUMAN	10.76	7.21-14.30	37.56	25.17- 49.96	>100	
HCG in mIU/ml	6.16	4.12-8.19	78.32	52.48-104.17	>200	
TG in ng/ml	7.27	4.87- 9.67	20.63	13.82-27.44	61.13	40.96-81.31
CA 15-3 in U/ml	21.38	14.32-28.43	47.46	31.80-63.12	89.59	60.02-119.15
HCG-XR in mIU/ml	<5		86.23	57.78-114.69	334.54	224.14-444.94
Calcitonin pg/ml	6.97	4.24-9.71	75.02	50.26-99.77	312.05	209.08-415.03
Aldosterone pg/ml	145.81	97.69-193.93	357.99	239.85-476.12	851.04	570.20-1131.88

DOCUMENT HISTORY			
PREPARED BY: <u>RSW</u>	DEPT: QC	VERIFIED BY: <u>Ashatola</u>	DEPT: QA
APPROVED BY: <u>Fred Lopez</u>	DEPT: Administration	EFFECTIVE DATE: 2023-10-16	
REVISION: 0		DCO: N/A	