

VALUE ASSIGNMENT FOR BIO-RAD						
MASTER LOT 7465(1-3)			Exp:2026/10/31			
AccuBind® ELISA	74651		74652		74653	
	Mean	Range	Mean	Range	Mean	Range
Lyphocheck Tumor Markers						
Ferritin in ng/ml	51.99	34.83-69.15	359.32	240.74-477.89	737.54	494.15->800
CEA in ng/ml	2.89	1.94-3.85	24.19	16.20-32.17	81.25	54.44-108.06
AFP in ng/ml	6.44	4.32-8.57	77.96	52.23-103.69	238.3	159.66-316.94
PSA in ng/ml	<0.5		7.15	4.79-9.52	30.35	20.34-40.37
fPSA in ng/ml	<0.3		2.89	1.94-3.85	>10	
CA-125 in U/ml	19.76	13.24-26.28	59.32	39.74-78.90	151.01	101.18-200.84
CA-19-9 in U/ml	12.36	8.28-16.43	27.46	18.40-36.52	72.57	48.62-96.51
CEA Next Generation in ng/ml	<5		22.88	15.33-30.44	70.29	47.10-93.49
PRL in ng/ml	10.6	7.10-14.10	35.29	23.65-46.94	>100	
PRL in ng/ml-HUMAN	11.26	7.55-14.98	37.28	24.98-49.58	>100	
HCG in mIU/ml	4.12	2.41-5.83	71.1	47.64-94.56	>200	
TG in ng/ml	6.18	4.14-8.21	29.01	19.44-38.58	75.36	50.49-100.23
CA 15-3 in U/ml	23.57	15.79-31.35	50.51	33.84-67.17	109.71	73.51-145.92
HCG-XR in mIU/ml	<5		83.43	55.90-110.96	341.19	228.59-453.78
Calcitonin pg/ml	7.85	5.26-10.44	59.47	39.85-79.10	315.35	211.29-419.42
Aldosterone pg/ml	137.39	92.05-182.73	355.18	237.97- 472.39	761.89	510.47-1013.31

DOCUMENT HISTORY			
PREPARED BY: <u>RSW</u>	DEPT: QC	VERIFIED BY: <u>Ashatola</u>	DEPT: QA
APPROVED BY: <u>Fred Lopez</u>	DEPT: Administration	EFFECTIVE DATE: 2023-10-16	
REVISION: 0		DCO: N/A	